

CXCL16/SR-PSOX (C-6His), Mouse, Recombinant

货号: PCK236

产品信息

别名 C-X-C Motif Chemokine 16; Scavenger Receptor for phosphatidylserine; oxidized

low density lipo Protein; Small-inducible Cytokine B16; Transmembrane

Chemokine CXCL16; SR-PSOX; Zmynd15

物种 Mouse

表达宿主 **Human Cells**

序列信息 Asn27-Trp201

检索号 Q8BSU2

分子量 20.1 kDa

标签 C-6His

产品特性

纯度 >95% as determined by reducing SDS-PAGE.

内毒素 <1.0 EU per µg as determined by LAL test.

保存 Lyophilized protein should be stored at -5~-20°C, stable for one year after receipt.

Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at -5~-20°C for 3 months.

运输 Ambient temperature or ice pack.

制剂 Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

网站: www.procell.com.cn 电话: 400-999-2100

邮箱: techsupport@procell.com.cn

地址: 湖北省武汉市高新大道858号生物医药产业园三期C4栋








复融

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml.Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

背景介绍

CXCL16 is a single-pass type I membrane Protein, which consists of 246 amino acids, CXCL16 induces a strong chemotatic response and calcium mobilization. CXCL16 acts as a scavenger Receptor on macrophages, which specially binds to oxidized low density lipo Protein. CXCL16 may involves in pathophysiology such as atherogenesis. Soluble CXCL16 may play an important role in liver metastases through the induction of epithelial-mesenchymal transition.

SDS-PAGE



网站: www.procell.com.cn 电话: 400-999-2100

邮箱: techsupport@procell.com.cn

地址: 湖北省武汉市高新大道858号生物医药产业园三期C4栋



